

SAFETY DATA SHEET

A.W.F. PIPESEAL WITH TEFLON

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	A.W.F. Pipe seal with Teflon
Supplier	A.W.F. SMS Ltd
Address	Unit I D Brymau 3 Estate River Lane Saltney Chester, CH4 8RQ
Phone Number	01244 - 677833
Fax Number	01244 - 677844

2. COMPOSITION/INFORMATION ON INGREDIENTS

A blend of plasterciser(s), dimethacrylate resins flexibliser(s), viscosity modifier(s), stabiliser(s) and pigment(s) PTFE and pigment(s)
For details of substances presenting a health hazard within the meaning of the Chemicals (Hazard Information & Packing) regulations 1993 see Under Section 8 of this Safety Data Sheet.

3. HAZARDS IDENTIFICATION

Prolonged contact with product may result in the removal of essential fats and may result in dermatitis unless good personal hygiene is used.
May cause sensitisation by skin contact – Irritating to eyes, respiratory system and skin. - Harmful by inhalation, in contact with skin and if swallowed.

4. FIRST AID MEASURES

General: In all cases of doubt or when symptoms persist seek medical attention.
Never give anything by mouth to an unconscious person
Inhalation: Remove to fresh air, keep warm and at rest. If breathing is irregular or stopped give artificial respiration. Give nothing by mouth. If unconscious place in recovery position and seek medical advice.
Skin Contact: Remove contaminated clothing. Wash skin thoroughly with soap and water or use a proprietary skin cleaner. Do not use solvents or thinners.
Eye Contact: Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10 minutes holding the eyelids apart, seek medical advice.
Ingestion: If accidentally swallowed obtain immediate medical attention. Keep at rest. Do not induce vomiting.

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Carbon Dioxide, Dry Powder, Sand, Foam, Water Spray Mist.
continued on page 2

continued from page 1

Special instructions for fire fighting personnel - Fire will produce dense black smoke containing hazardous products of combustion (see Section 10.) Decomposition products may be a hazard to health. Appropriate self contained breathing apparatus may be required. Cool closed containers exposed to fire with a water spray. Do not allow water run off from fire fighting to enter drains or courses.

6. ACCIDENTAL RELEASE MEASURES

Exclude sources of ignition and ventilate the area. Exclude non-essential personnel. Avoid breathing vapours. Refer to protective measures listed in sect.7&8
Do not allow large quantities to enter drains or water courses. If it does local water companies should be contacted, in case of contamination of streams or rivers Or lakes the National Rivers Authority Contain and collect spillage's with non-combustible absorbent materials e.g. sand, earth and place in suitable container For disposal in accordance with the waste regulations.

7. HANDLING AND STORAGE

Avoid skin & eye contact. For personal protection see sect.8. Good housekeeping and regular removal of waste materials will minimise risks.
Observe the label precautions. Store between 5 and 25°C in a well ventilated place away from sources of heat, ignition and direct sunlight. No smoking

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures - Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If extraction methods are insufficient to maintain concentrations of particulates and /or solvent vapours below relevant OEL's, suitable respiratory protective equipment should be worn.

exposure controls/personal protection

2-hydroxyethyl	% cone range	Symbol	OES 8 hr ppm	OES15 min ppm
	>1 0%, & = <25%.	Xi		

Risk Phrases 36/38-43

Methacrylate

Notations = Sk - risk or absorption through skin Sen – respiratory sensitizer

OES = Occupational Exposure Standard MEL – Maximum Exposure Limit

OEL's are from EH40 except where marked SUP which are assigned by the supplier of the substance

General Protection All ppe, including rpe, used to control exposure to hazardous substances must be selected to meet the requirements of the COSHH regulations.

Respiratory Protection

If exposure to hazardous substances identified above cannot be controlled by provision of local exhaust ventilation and good general extraction, suitable respiratory protective equipment should be worn.

Hand Protection

Full physical protection is best. Seek relevant advice from glove manufacturers.

Barrier cream may be of help but should not be applied after exposure has occurred.

Eye Protection

Eye protection designed to protect against liquid splashes should be worn.

continued on page 3

continued from page 2

Skin Protection Cotton or cotton/synthetic overalls or coveralls are normally suitable. Grossly contaminated clothing should be removed and the skin washed with soap and water or a proprietary skin cleaner.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Yellow Viscous Paste	Vapour Density	heavier than Air
Flash Point		Lower Explosion Limit	
Viscosity		Solubility in Water	immiscible
Specific Gravity	1.00 gms/cc	Method Calculation	

10. STABILITY AND REACTIVITY

Stable under the recommended storage & handling conditions (see sect.7)
Keep away from oxidising agents and strongly alkaline and acid materials to prevent the possibility of an exothermic reaction.

11. TOXICOLOGICAL INFORMATION

Acrylate components have irritant properties. Prolonged or repeated exposure with skin or mucous membrane may result in irritant symptoms such as redness, blistering or dermatitis. Splashes in the eye may cause irritation and reversible local damage.

12. ECOLOGICAL INFORMATION

Large quantities of the product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

13. DISPOSAL CONSIDERATIONS

Do not allow large quantities to enter the drains or water courses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with regulations made under the Control of Pollution & Environmental Protection Acts. Residues in emptied containers should be neutralised with decontaminant (see sect.6)

14. TRANSPORT INFORMATION

None

15. REGULATORY INFORMATION

The product is classified and labelled for supply in accordance with the Chemicals (Hazard Information & Packaging) Regulations as follows:

Classification:	Sensitising
	Irritant to skin
Contains	2-Hydroxyethyl Methacrylate
Risk Phrases	43 May cause sensitisation by skin contact
	36/37/38 Irritating to eyes, respiratory system and skin

continued on page 4

continued from page 3

Risk Phrases

20/21/22 Harmful by inhalation, in contact with skin and if swallowed

Safety Phrases 46 If 'swallowed ,seek medical advice immediately and show this container or label.

28 After contact with skin, wash immediately with plenty of water

20 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

27 Take off immediately all contaminated clothing

The information contained in this Safety Data Sheet does not constitute the user's own assessment of the workplace risks as required by other Health & Safety legislation.

The provisions of the Health & Safety at work etc. Act and the Control of Substances Hazardous to Health Regulations apply to the use of this product at work.

16. OTHER INFORMATION

Text of any Risk Phrases listed in Section 8 - This relates to 100% concentration of an ingredient.

R36/38 Irritating to eyes and skin

R43 May cause sensitisation by skin contact

The information contained in this safety data sheet is provided in accordance with the requirements of the Chemicals (Hazard Information & Packaging) Regulations. The product should not be used for purposes other than those shown in Section 1. without first referring to the supplier and obtaining written instructions.

As the specific conditions of use of the product are outside of the suppliers control, the user is responsible for ensuring that the requirements of relevant legislation complied with.

The information contained in this Safety Data Sheet is based on the present state of knowledge and current national legislation.. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist

Date of issue 14/03/2007