

SAFETY DATA SHEET

A.W.F. FLEXSEAL SYSTEMS B.G. T.G. G.G.

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	A.W.F. Flexseal Systems B.G. T.G. G.G.
Supplier	A.W.F. SMS Ltd
Address	Unit I D Brymau 3 Estate River Lane Saltney Chester, CH4 8RQ
Phone Number	01244 - 677833
Fax Number	01244 - 677844

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Cas No.	EC No.	Weight0%	Symbols	R Phrases
White Spirit	64742-82-1		25%-30%	Xn/F	R10, R65

3. HAZARDS IDENTIFICATION

Flammable (R10)

4. FIRST AID MEASURES

Skin Contact After contact with skin, wash immediately with plenty of soap and water (S28)

Eye Contact In case of contact with eyes, rinse immediately with plenty of water and seek medical advice (S26)

Ingestion Rinse mouth with water (do not swallow) Do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention

Inhalation. Inhalation is unlikely to occur

5. FIRE-FIGHTING MEASURES

In case of fire use foam, carbon dioxide or dry agent (S43)

6. ACCIDENTAL RELEASE MEASURES

Collect as much as possible in clean container for reuse or disposal

7. HANDLING AND STORAGE

When using do not eat drink or smoke (S20121) Ensure adequate ventilation Wash thoroughly after use. Keep in a cool, dry, well ventilated place Protect from frost.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Wear plastic or rubber gloves Use a suitable barrier cream to protect skin

9. PHYSICAL AND CHEMICAL PROPERTIES

Liquid, black, paste, immiscible with water Flammable (RIO) Smells of white spirit
 Boiling point - not applicable Flash point 40 deg C (CC) Melting point - not applicable
 Auto-ignition point 230 deg C pH - not applicable Vapour pressure - not known Fat
 solubility - not known Partition coefficient: ri-Octanol/water - not known

10. STABILITY AND REACTIVITY

Reacts with water

11. TOXICOLOGICAL INFORMATION

Can be absorbed through skin Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis.

12. ECOLOGICAL INFORMATION

Marine pollutant

13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with local, state or national legislation
 Do not reuse empty containers

14. TRANSPORT INFORMATION

Proper Shipping Name:	Tars Liquid (including bitumen and cut backs)		
UN No.	1999	Hazard Class	3
Packing Group	III		
Road/Rail (ADR/RID)			
ADR UN No.	1999	ADR Hazard Class	3
ADR Item no.	31 (c)	ADRIRID No.	
Tremcard	30 G 35		
Sea (IMDG)			
IMW UN No.	1999	IMDG Hazard Class	3
IMDG Page No.	3382-94	IMDG Pack- Group	III
IMDG EmS		IMDG WAG	
Air (ICA011ATA)			
ICAO UN No.	-	ICAO Hazard Class	-
ICAO Packing Group	-		

Transport Regulations apply as indicated in previous section Marine pollutant

15. REGULATORY INFORMATION

The COSHH Regulations apply in the UK Not hazardous according to current The
 Dangerous Substances Directive (671548/EEC) continued on page 3

Continued from page 2

This Safety Data Sheet is provided in compliance with. The Safety Data Sheets Directive (9111551EC)

Flammable (R10)

In case of contact with eyes. rinse immediately with plenty of water and seek medical advice (S26)

16. OTHER INFORMATION

This product contains a hydrocarbon solvent which is classified R65 (Harmful: May cause lung damage if swallowed) in accordance with the 21 adaptation of EC Directive 67/548/E1EC. However the overall product has a high viscosity and is therefore Not classified.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

11/11/2006