

SAFETY DATA SHEET

A.W.F. GLAZECOAT U.V. BASE

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	A.W.F. Glazecoat U.V. Base
Supplier	A.W.F. SMS Ltd
Address	Unit I D Brymau 3 Estate River Lane Saltney Chester, CH4 8RQ
Phone Number	01244 - 677833
Fax Number	01244 - 677844

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/preparation
SOLVENT NAPHTHA (PETROLEUM), LIGHT

CAS number	% by weight	EC number	Classification
064742-95-6	1 - 5%	265-199-0	R10, Xn; R65, Xi; R37, N; R51/53

AROMATIC (Benzene Free 0.1%)
2-BUTOXYETHANOL

CAS number	% by weight	EC number	Classification
000111-76-2	1 - 5%	203-905-0	Xn; R20/21/22, Xi; R36/38

See section 16 for the full text of the R-phrases declared above
Occupational exposure limits, if available, are listed in section 8.

3. HAZARDS IDENTIFICATION

The preparation is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification R52/53

Environmental hazards Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

See section 11 for more detailed information on health effects and symptoms.

4. FIRST AID MEASURES

Ingestion Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been swallowed, call a physician immediately.

Skin contact Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation occurs.

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.

See section 11 for more detailed information on health effects and symptoms.

5. FIRE-FIGHTING MEASURES

Extinguishing media Non-combustible. Use an extinguishing agent suitable for the surrounding fire.

Special exposure hazards No specific hazard.

Hazardous thermal decomposition products

In a fire, the following may be released: carbon oxides (CO, CO₂)

Protection of fire-fighters No special protection is required.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Immediately contact emergency personnel. Use suitable protective equipment (section 8).

Environmental precautions Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Methods for cleaning up If emergency personnel are unavailable, contain spilt material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dyke spilt material or otherwise contain it to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

7. HANDLING AND STORAGE

Handling Avoid contact with eyes, skin and clothing. Avoid breathing vapours, spray or mists.

Storage Keep container tightly closed. Store in original sealed containers at temperatures between 5° and 30°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredient name	Occupational exposure limits
Solvent Naphtha (petroleum), light	EH40-WEL (United Kingdom (UK), 2005). Skin TWA: 150 mg/m 3 8 hours.

Aromatic (Benzene Free 0.1%)	
2-Butoxyethanol	EH40-WEL (United Kingdom (UK), 2005). Skin TWA: 123 mg/m 3 8 hours.

Occupational exposure controls

Spray - Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.

Respiratory protection A respirator is not needed under normal and intended conditions of product use. Spray – Wear appropriate respirator when ventilation is inadequate. Approved/certified respirator with organic vapour cartridge. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. >8 hours (breakthrough time):

Impervious gloves.

Eye protection Safety glasses. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin protection Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid. (Colour)	Odour	Faint odour.
pH	8.5 [Basic.]	Boiling point	>100°C (212°F)
Flash point	Closed cup: >65°C (149°F).	Flammability	Non-flammable
Explosion limits	Not available.	Oxidising properties	Not available.
Vapour pressure	Not available.	Relative density	1.285 g/cm ³
Solubility	Easily soluble in cold water, hot water, methanol, acetone.	Vapour density	Not available.
Evaporation rate	Not available.	Octanol/water partition coefficient	Not available.
(butyl acetate = 1)		Melting point	0°C (32°F)
Auto-ignition temperature	>400°C (752°F)		

10. STABILITY AND REACTIVITY

Stability The product is stable.
 Conditions to avoid low temperature
 Materials to avoid Strong oxidising materials strong acids alcohols Amines
 Hazardous decomposition products In a fire, the following may be released:
 carbon oxides (CO, CO²)

11. TOXICOLOGICAL INFORMATION

Potential acute health effects

Inhalation No known significant effects or critical hazards.
 Ingestion No known significant effects or critical hazards
 Skin contact No known significant effects or critical hazards.
 Eye contact No known significant effects or critical hazards.

Acute toxicity

Ingredient name	Test	Result	Route	Species
Solvent Naphtha (petroleum), light	LD50	6800 mg/kg	Oral	Rat
Aromatic (Benzene Free 0.1%)	LD50	3400 mg/kg	Dermal	Rabbit
2-Butoxyethanol	LD50	2425 mg/kg	Oral	Rat

Potential chronic health effects

Carcinogenicity No carcinogenic effect.
 Mutagenicity No mutagenic effect.
 Reproductive toxicity No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation No known significant effects or critical hazards.
 Skin No known significant effects or critical hazards.
 Ingestion No known significant effects or critical hazards.

Additional information No components of this material are listed as carcinogens by OSHA, NTP, ACGIH or IARC.

12. ECOLOGICAL INFORMATION

Persistence/degradability

Ingredient name	Aquatic half-life	Photolysis	Biodegradability
AWF Glazecoat U.V. Base	-	-	Not readily

Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

Mobility Do not allow to enter drains or watercourses.

continued on page 4

continued from page 3

Other adverse effects Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Methods of disposal The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Hazardous waste The classification of the product may meet the criteria for a hazardous waste

14. TRANSPORT INFORMATION

International transport regulations

Additional information This preparation is not classified as dangerous according to international transport regulations (ADR/RID, IMDG or ICAO/IATA).

15. REGULATORY INFORMATION

EU regulations

Risk phrases R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of soap and water. S29- Do not empty into drains. S42- During spraying wear suitable respiratory equipment.

Product use Classification and labelling have been performed according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and the intended use.

- Consumer applications.

Other EU regulations

EU statistical classification 32099000
(Tariff Code)

National regulations

United States

SARA 313 toxic chemical notification and release reporting No products were found.

Germany Hazard class for water 2

16. OTHER INFORMATION

Full text of R-phrases referred to in sections 2 and 3 - Europe

R10- Flammable. R20/21/22- Harmful by inhalation, in contact with skin and if swallowed. R65- Harmful: may cause lung damage if swallowed. R36/38- Irritating to eyes and skin. R37- Irritating to respiratory system. R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Full text of classifications referred to in sections 2 and 3 - Europe

Xn - Harmful

Xi - Irritant

N - Dangerous for the environment.

continued on page 5

continued from page 4

Further information

Conforms to EU Directive 91/155/EEC, as amended by 2001/58/EC Canada - This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue 01/03/2007