

A.W.F. ACID ETCH

AWF Acid Etch is a hydrochloric acid based product manufactured to very high standards for use by companies involved in the construction industry. The product is designed for cleaning of surfaces, such as concrete, bricks and tiles.

AWF Acid Etch is a thixtropic chemical cleaner and descaler and can be safely used to remove rust or corrosion on clips and metal scaffolding etc.

AWF Acid Etch has been modified specially to prevent the production of strong vapours which are often associated with strongly acidic solutions.



Prior to use, the area to be treated should be brushed clean to remove loose or friable materials lying on the surface.



Can be used directly as supplied from the container. For a less concentrated solution, Acid Etch can be diluted with up to 8 parts warm or cold water. When diluting the product, always add Acid Etch to water, never water to Acid Etch.



N/A



N/A

APPLICATION DETAILS.




Apply by brush or mop. Metal components can be soaked in a tank. To ensure thorough cleansing of components, agitate if necessary until any effervescence ceases. Finally, rinse down the treated area/components thoroughly with water.

AWF Acid Etch can also be used for removing cement runs and rust stains from concrete. Also a typical application is the removal of oils, greases etc from industrial floors and also etching of surfaces.



N/A



N/A



Store away from alkalis, oxidising agents and chlorine releasing substances such as sodium hypochlorite. Ensure containers are stored in such a position to minimise risk of damage.



As long as good practice is observed AWF Acid Etch can be safely used. Protective gloves should be worn during use.

A fully detailed Material Safety Data Sheet is available on request

If you have any questions or queries regarding this data sheet or the application of this product, please contact us before you use the product.